Contents to volume 233

Research Letters

Immunological studies on the D-1 and D-2 proteins of photosystem II preparations from the thermophilic cyanobacterium, *Synechococcus* sp. (FEB 05903) *K. Satoh, R. Dostatni, U. Johanningmeier, W. Oettmeier* 1

A new possible binding site for bacteriochlorophyll *b* in a light-harvesting polypeptide of the bacterium *Ectothiorhodospira halochloris* (FEB 05905) *R. Wagner-Huber, R.A. Brunisholz, I. Bissig, G. Frank, H. Zuber* 7

Energy transfer within the isolated B875 light-harvesting pigment-protein complex of *Rhodobacter sphaeroides* at 77 K studied by picosecond absorption spectroscopy (FEB 05896) *H. Bergström, W.H.J. Westerhuis, V. Sundström, R. van Grondelle, R.A. Niederman, T. Gillbro* 12

Kinetic limitations in the overall reaction of mitochondrial oxidative phosphorylation accounting for flux-dependent changes in the apparent $\Delta G_p^{ex} / \Delta\tilde{\mu}H^+$ ratio (FEB 05907) *W. Kunz, F.N. Gellerich, L. Schild, P. Schönfeld* 17

Quantification of p38/synaptophysin in highly purified adrenal medullary chromaffin vesicles (FEB 05904) *K. Schilling, M. Gratzl* 22

The location of Cu_A in mammalian cytochrome *c* oxidase (FEB 05898) *P.R. Rich, I.C. West, P. Mitchell* 25

Crystallization of cytochrome P-450_{scc} from bovine adrenocortical mitochondria (FEB 05919) *Y. Iwamoto, M. Tsubaki, A. Hiwatashi, Y. Ichikawa* 31

Phenobarbital, dexamethasone and benzanthracene induce several cytochrome P450 mRNAs in rat hepatoma cells (FEB 05908) *L. Corcos, M.C. Weiss* 37

Epidermal growth factor-induced increases in inositol trisphosphates, inositol tetrakisphosphates, and cytosolic Ca^{2+} in a human hepatocellular carcinoma-derived cell line (FEB 05901) *A. Gilligan, M. Prentki, M.C. Glennon, B.B. Knowles* 41

Periportal and perivenous hepatocytes respond equally to glycogenolytic agonists (FEB 05902) *S. Keppens, H. De Wulf* 47

Enhanced transcription of mitochondrial genes after growth stimulation and glucocorticoid treatment of Reuber hepatoma H-35 (FEB 05900) *T. Kadowaki, Y. Kitagawa* 51

A third human CALC (pseudo)gene on chromosome 11 (FEB 05899) *J.W.M. Höppener, P.H. Steenbergh, J. Zandberg, G.J. Adema, A.H.M. Geurts van Kessel, C.J.M. Lips, H.S. Jansz* 57

C-*fos* gene activation in murine thymocytes by a mechanism independent of protein kinase C or a Ca^{2+} signal (FEB 05917) *J.P. Moore, G.E. Menzel, T.R. Hesketh, J.C. Metcalfe* 64

Subunit-specific phosphorylation of pyruvate kinase in medullary thyroid carcinomas of the rat (FEB 05906) *G. Rijksen, M.C.M. van der Heijden, R. Oskam, G.E.J. Staal* 69

Ca^{2+} regulation of thyroid NADPH-dependent H_2O_2 generation (FEB 05909) *C. Dupuy, D. Dème, J. Kaniewski, J. Pommier, A. Virion* 74

Atrial natriuretic peptide (ANP) in rat gastrointestinal tract (FEB 05918) *O. Vuolteenaho, O. Arjamaa, O. Vakkuri, T. Maksniemi, L. Nikkilä, J. Kangas, J. Puurunen, H. Ruskoaho, J. Leppäluoto* 79

Shift in rat liver glycolysis control from fed to starved conditions: Flux control coefficients of glucokinase and phosphofructokinase (FEB 05921) *N.V. Torres, F. Mateo, E. Meléndez-Hevia* 83

Family of human Na^+,K^+-ATPase genes: Structure of the gene for the catalytic subunit (αIII-form) and its relationship with structural features of the protein (FEB 05920) *Yu.A. Ovchinnikov, G.S. Monastyrskaya, N.E. Broude, Yu.A. Ushkaryov, A.M. Melkov, Yu.V. Smirnov, I.V. Malyshev, R.L. Allikmets, M.B. Kostina, I.E. Dulubova, N.I. Kiyatkin, A.V. Grishin, N.N. Modyanov, E.D. Sverdlov* 87

Is translation inhibited by noncognate ternary complexes? (FEB 05913) *N. Bilgin, M. Ehrenberg, C. Kurland* 95

The amino acid substitution in albumin Roma: 321 Glu→Lys (FEB 05911) *M. Galliano, L. Minchiotti, P. Iadarola, G. Ferri, M.C. Zapponi, A.A. Castellani* 100

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Contents to volume 233

Research Letters

Immunological studies on the D-1 and D-2 proteins of photosystem II preparations from the thermophilic cyanobacterium, *Synechococcus* sp. (FEB 05903) *K. Satoh, R. Dostatni, U. Johanningmeier, W. Oettmeier* 1

A new possible binding site for bacteriochlorophyll *b* in a light-harvesting polypeptide of the bacterium *Ectothiorhodospira halochloris* (FEB 05905) *R. Wagner-Huber, R.A. Brunisholz, I. Bissig, G. Frank, H. Zuber* 7

Energy transfer within the isolated B875 light-harvesting pigment-protein complex of *Rhodobacter sphaeroides* at 77 K studied by picosecond absorption spectroscopy (FEB 05896) *H. Bergström, W.H.J. Westerhuis, V. Sundström, R. van Grondelle, R.A. Niederman, T. Gillbro* 12

Kinetic limitations in the overall reaction of mitochondrial oxidative phosphorylation accounting for flux-dependent changes in the apparent $\Delta G_p^{ex} / \Delta\tilde{\mu}H^+$ ratio (FEB 05907) *W. Kunz, F.N. Gellerich, L. Schild, P. Schönfeld* 17

Quantification of p38/synaptophysin in highly purified adrenal medullary chromaffin vesicles (FEB 05904) *K. Schilling, M. Gratzl* 22

The location of Cu_A in mammalian cytochrome *c* oxidase (FEB 05898) *P.R. Rich, I.C. West, P. Mitchell* 25

Crystallization of cytochrome P-450_{scc} from bovine adrenocortical mitochondria (FEB 05919) *Y. Iwamoto, M. Tsubaki, A. Hiwatashi, Y. Ichikawa* 31

Phenobarbital, dexamethasone and benzanthracene induce several cytochrome P450 mRNAs in rat hepatoma cells (FEB 05908) *L. Corcos, M.C. Weiss* 37

Epidermal growth factor-induced increases in inositol trisphosphates, inositol tetrakisphosphates, and cytosolic Ca^{2+} in a human hepatocellular carcinoma-derived cell line (FEB 05901) *A. Gilligan, M. Prentki, M.C. Glennon, B.B. Knowles* 41

Periportal and perivenous hepatocytes respond equally to glycogenolytic agonists (FEB 05902) *S. Keppens, H. De Wulf* 47

Enhanced transcription of mitochondrial genes after growth stimulation and glucocorticoid treatment of Reuber hepatoma H-35 (FEB 05900) *T. Kadowaki, Y. Kitagawa* 51

A third human CALC (pseudo)gene on chromosome 11 (FEB 05899) *J.W.M. Höppener, P.H. Steenbergh, J. Zandberg, G.J. Adema, A.H.M. Geurts van Kessel, C.J.M. Lips, H.S. Jansz* 57

C-*fos* gene activation in murine thymocytes by a mechanism independent of protein kinase C or a Ca^{2+} signal (FEB 05917) *J.P. Moore, G.E. Menzel, T.R. Hesketh, J.C. Metcalfe* 64

Subunit-specific phosphorylation of pyruvate kinase in medullary thyroid carcinomas of the rat (FEB 05906) *G. Rijksen, M.C.M. van der Heijden, R. Oskam, G.E.J. Staal* 69

Ca^{2+} regulation of thyroid NADPH-dependent H_2O_2 generation (FEB 05909) *C. Dupuy, D. Dème, J. Kaniewski, J. Pommier, A. Virion* 74

Atrial natriuretic peptide (ANP) in rat gastrointestinal tract (FEB 05918) *O. Vuolteenaho, O. Arjamaa, O. Vakkuri, T. Maksniemi, L. Nikkilä, J. Kangas, J. Puurunen, H. Ruskoaho, J. Leppäluoto* 79

Shift in rat liver glycolysis control from fed to starved conditions: Flux control coefficients of glucokinase and phosphofructokinase (FEB 05921) *N.V. Torres, F. Mateo, E. Meléndez-Hevia* 83

Family of human Na^+,K^+-ATPase genes: Structure of the gene for the catalytic subunit (αIII-form) and its relationship with structural features of the protein (FEB 05920) *Yu.A. Ovchinnikov, G.S. Monastyrskaya, N.E. Broude, Yu.A. Ushkaryov, A.M. Melkov, Yu.V. Smirnov, I.V. Malyshev, R.L. Allikmets, M.B. Kostina, I.E. Dulubova, N.I. Kiyatkin, A.V. Grishin, N.N. Modyanov, E.D. Sverdlov* 87

Is translation inhibited by noncognate ternary complexes? (FEB 05913) *N. Bilgin, M. Ehrenberg, C. Kurland* 95

The amino acid substitution in albumin Roma: 321 Glu→Lys (FEB 05911) *M. Galliano, L. Minchiotti, P. Iadarola, G. Ferri, M.C. Zapponi, A.A. Castellani* 100

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Amino acid sequence template useful for α-helix-turn-α-helix prediction (FEB 05910) *B.V. Shestopalov* 105
Monoclonal antibodies to type IV collagenase recognize a protein with limited sequence homology to interstitial collagenase and stromelysin (FEB 05926) *M. Höyhtyä, T. Turpeenniemi-Hujanen, W. Stetler-Stevenson, H. Krutzsch, K. Tryggvason, L.A. Liotta* 109
Identification of proteins of the 40 S ribosomal subunit involved in interaction with initiation factor eIF-2 in the quaternary initiation complex by means of monospecific antibodies (FEB 05915) *U.-A. Bommer, J. Stahl, A. Henske, G. Lutsch, H. Bielka* 114
Three-dimensional location of ribosomal protein BL2 from *Bacillus stearothermophilus*, a key component of the peptidyl transferase center (FEB 05914) *W. Hackl, M. Stöffler-Meilicke, G. Stöffler* 119
In vivo NMR studies of the alga *Dunaliella salina* embedded in beads (FEB 05923) *M. Oren-Shamir, M. Avron, H. Degani* 124
The metabolism of biphenyl structures in lignin by the soil bacterium (*Pseudomonas paucimobilis* SYK-6) (FEB 05922) *Y. Katayama, S. Nishikawa, A. Murayama, M. Yamasaki, N. Morohoshi, T. Haraguchi* 129
Selective terminal α2–3 and α2–6 sialylation of glycosphingolipids with lacto-series type 1 and 2 chains in human meconium (FEB 05924) *M. Iwamori, M. Noguchi, T. Yamamoto, M. Yago, S. Nozawa, Y. Nagai* 134
Differential effects of maitotoxin on ATP secretion and on phosphoinositide breakdown in rat pheochromocytoma cells (FEB 05927) *F. Gusovsky, J.W. Daly, T. Yasumoto, E. Rojas* 139
Tissue specific opsonins for phagocytic cells and their different affinity for cholesterol-rich liposomes (FEB 05925) *S.M. Moghimi, H.M. Patel* 143
High-performance liquid chromatography of the main polypeptide (MP26) of lens fiber plasma membranes solubilized with *n*-octyl β-D-glucopyranoside (FEB 05912) *S. Manenti, I. Dunia, M. le Maire, E.L. Benedetti* 148
The phosphatidylcholine pathway of diacylglycerol formation stimulated by phorbol diesters occurs via phospholipase D activation (FEB 05928) *M.C. Cabot, C.J. Welsh, H. Cao, H. Chabbott* 153
Effect of calcium and temperature on mixed lipid-valinomycin monolayers: A comparison of glycosphingolipids (ganglioside GT1b, sulphatides) and phosphatidylcholine (FEB 05929) *F. Schifferer, H. Beitinger, H. Rahmann, D. Möbius* 158
Antibodies against basic fibroblast growth factor inhibit the autocrine growth of pulmonary artery endothelial cells (FEB 05930) *M. Sakaguchi, T. Kajio, K. Kawahara, K. Kato* 163
Photoaffinity labeling of a 33 kDa protein subunit of the δ-opioid receptor in neuroblastoma and hybrid cell lines (FEB 05931) *C. Icard-Liepkalns, P. Bochet* 167
Regulation of the β_2-adrenergic receptor and its mRNA in the rat ventral prostate by testosterone (FEB 05932) *S. Collins, V.E. Quarmby, F.S. French, R.J. Lefkowitz, M.G. Caron* 173
Bovine type XII collagen: amino acid sequence of a 10 kDa pepsin fragment from periodontal ligament reveals a high degree of homology with the chicken α_1(XII) sequence (FEB 05933) *B. Dublet, E. Dixon, E. de Miguel, M. van der Rest* 177
Phosphorylation of neurofilament proteins by protein kinase C (FEB 05936) *R.K. Sihag, A.Y. Jeng, R.A. Nixon* 181
Use of electrofocusing for the analysis and purification of turkey erythrocytes β_1-adrenoceptors (FEB 05939) *I. Marbach, A. Levitzki* 186
Isolation of two blood type A and N specific isolectins from *Moluccella laevis* seeds (FEB 05934) *H. Lis, H. Latter, R. Adar, N. Sharon* 191
Calcium uptake by tonoplast and plasma membrane vesicles from spinach leaves (FEB 05938) *L. Malatialy, H. Greppin, C. Penel* 196
Right atrial dilatation increases inositol-(1,4,5)trisphosphate accumulation: Implications for the control of atrial natriuretic peptide release (FEB 05935) *R. von Harsdorf, R. Lang, M. Fullerton, A.I. Smith, E.A. Woodcock* 201

Book Reviews and Booklist no. 82 206
Notes to Authors 221
Announcements 223

Hypothesis

Extracellular 'communicator RNA' (FEB 05953) *S.A. Benner* 225

Research Letters

Thiol reagents are substrates for the ADP-ribosyltransferase activity of pertussis toxin (FEB 05944) *M.D. Lobban, S. van Heyningen* 229

Isolation and characterization of two novel calcium-dependent phospholipid-binding proteins from bovine lung (FEB 05940) *C.M. Boustead, J.H. Walker, M.J. Geisow* 233

Phorbol esters inhibit inositol phosphate and diacylglycerol formation in proliferating HL60 cells: Relationship to differentiation (FEB 05941) *B. Geny, C. LePeuch, H. Cost, M. Basset, S. Cockcroft* 239

Dual effect of the phorbol ester TPA on arachidonic acid release from HeLa cells (FEB 05942) *M. Kaszkin, U. Espe, G. Fürstenberger, V. Kinzel* 244

Urodilatin (CDD/ANP-95–126) is not biologically inactivated by a peptidase from dog kidney cortex membranes in contrast to atrial natriuretic peptide/cardiodilatin (α-hANP/CDD-99–126) (FEB 05956) *M. Gagelmann, D. Hock, W.-G. Forssmann* 249

Specific binding of [^{3}H]retinoids to cellular retinoid-binding proteins (FEB 05955) *M. Ninomiya, M. Suganuma, N.S. Paik, Y. Muto, H. Fujiki* 255

The mitochondrial probe rhodamine 123 inhibits in isolated hepatocytes the degradation of short-lived proteins (FEB 05949) *J.L. Vargas, E. Roche, E. Knecht, F. Aniento, S. Grisolia* 259

Sphingomyelinases in human, bovine and porcine seminal plasma (FEB 05948) *T. Vanha-Perttula* 263

Activation of c-Ki-*ras* coexists with c-*myc* amplification in cells from a nude mouse tumor induced by the human breast carcinoma cell line SW 613-S (FEB 05951) *G. Carloni, B. Champ, M.-J. Vilarem, C. Lavialle, R. Cassingena* 268

Processing of preproglycinin expressed from cDNA-encoding $A_{1a}B_{1b}$ subunit in *Saccharomyces cerevisiae* (FEB 05959) *S. Utsumi, T. Sato, C.-S. Kim, M. Kito* 273

Increased levels of acetylcholine receptor α-subunit mRNA in experimental autoimmune myasthenia gravis (FEB 05957) *O. Asher, D. Neumann, S. Fuchs* 277

Relationship of promagainin to three other prohormones from the skin of *Xenopus laevis*: a different perspective (FEB 05937) *L.T. Hunt, W.C. Barker* 282

A highly selective ligand for brain δ opiate receptors, a ∇^{E}Phe^4-enkephalin analog, suppresses μ receptor-mediated thermal analgesia by morphine (FEB 05943) *Y. Shimohigashi, Y. Takano, H. Kamiya, T. Costa, A. Herz, C.H. Stammer* 289

The low activity of acetyl-CoA carboxylase in basal and glucagon-stimulated hepatocytes is due to phosphorylation by the AMP-activated protein kinase and not cyclic AMP-dependent protein kinase (FEB 05961) *A.T.R. Sim, D.G. Hardie* 294

Palmitate-binding, serum albumin-like proteins in salmonids (FEB 05952) *W.S. Davidson, V.L. Birt, T.P. Birt, J.M. Green* 299

Insulin-like growth factor 1 and insulin reduce epidermal growth factor binding to Swiss 3T3 cells by an indirect mechanism that is apparently independent of protein kinase C (FEB 05962) *A.N. Corps, K.D. Brown* 303

Kinetics of bimolecular decay of α-tocopheroxyl free radicals studied by ESR (FEB 05947) *C. Rousseau-Richard, C. Richard, R. Martin* 307

Oxidation of uroporphyrinogens by hydroxyl radicals: Evidence for nonporphyrin products as potential inhibitors of uroporphyrinogen decarboxylase (FEB 05958) *J.E. Francis, A.G. Smith* 311

Phase II of carotenoid bandshift is mainly due to the electrogenic protonation of the secondary quinone acceptor (FEB 05950) *L.A. Drachev, M.D. Mamedov, A.Ya. Mulkidjanian, A.Yu. Semenov, V.P. Shinkarev, M.I. Verkhovsky* 315

Analysis of intrasugar interproton NOESY cross-peaks as an aid to determine sugar geometries in DNA fragments (FEB 05945) *K.V.R. Chary, S. Modi* 319
Protein NMR resonance assignment by isotropic mixing experiments on random fractionally deuterated samples (FEB 05946) *D.M. LeMaster* 326
Activation energy of the rate constant of $P^+Q_A^-$ absorption decay in reaction centers from *Rhodobacter sphaeroides* reconstituted with different anthraquinones (FEB 05954) *P. Sebban* 331
S-(*p*-Azidophenacyl)thiocarnitine specifically binds to the γ-butyrobetaine-binding protein of *Agrobacterium* sp. and can be used as a photoaffinity label (FEB 05964) *S. Nobile, D. Baccino, J. Deshusses* 335
Cysteine proteases: the S_2P_2 hydrogen bond is more important for catalysis than is the analogous S_1P_1 bond (FEB 05965) *B. Asbóth, Z. Majer, L. Polgár* 339
Isolation and partial characterization of prothymosin α from porcine tissues (FEB 05966) *M. Economou, K. Seferiadis, M. Frangou-Lazaridis, B.L. Horecker, O. Tsolas* 342
Identification of α-subunit Lys^{201} and β-subunit Lys^{155} at the ATP-binding sites in *Escherichia coli* F_1-ATPase (FEB 05967) *M. Tagaya, T. Noumi, K. Nakano, M. Futai, T. Fukui* 347
1,4-Dihydropyridine receptor associated with Ca^{2+} channels in human embryonic fibroblasts (FEB 05968) *S.M. Dudkin, S.N. Gnedoj, N.N. Chernyuk, N.M. Soldatov* 352
The ATP-driven primary Na^+ pump in subcellular vesicles of *Vibrio alginolyticus* (FEB 05969) *P.A. Dibrov, V.P. Skulachev, M.V. Sokolov, M.L. Verkhovskaya* 355
The binary complex of pig plasma gelsolin with Mg^{2+}-G-actin in ATP and ADP (FEB 05970) *H.E. Harris* 359
Kinetic properties of polyphenoloxidase in organic solvents: A study in Brij 96/cyclohexane reverse micelles (FEB 05973) *A. Sánchez-Ferrer, R. Bru, F. García-Carmona* 363
Degradation of epidermal growth factor receptors by cathepsin L-like protease: inhibition of the degradation by c-Ha-*ras* gene products (FEB 05980) *T. Hiwasa, S. Sakiyama, S. Yokoyama, J.-M. Ha, S. Noguchi, Y. Bando, E. Kominami, N. Katunuma* 367
Dissociation of the ligand and dephosphorylation of the platelet-derived growth factor receptor (FEB 05994) *E. Sturani, R. Zippel, L. Morello, R. Brambilla, L. Alberghina* 371
Identification of an allosteric site residue of a fructose 1,6-bisphosphate-dependent L-lactate dehydrogenase of *Thermus caldophilus* GK24: production of a non-allosteric form by protein engineering (FEB 05996) *H. Matsuzawa, M. Machida, K. Kunai, Y. Ito, T. Ohta* 375
^{31}P NMR investigations on free and enzyme bound thiamine pyrophosphate (FEB 05978) *S. Flatau, G. Fischer, E. Kleinpeter, A. Schellenberger* 379
Detection of anion-linked polymerization of the tetrameric hemoglobin from *Scapharca inaequivalvis* by ^{35}Cl NMR spectroscopy (FEB 05972) *E. Chiancone, T. Drakenberg, S. Forsén* 383
M13 phage DNA as a universal marker for DNA fingerprinting of animals, plants and microorganisms (FEB 05977) *A.P. Ryskov, A.G. Jincharadze, M.I. Prosnyak, P.L. Ivanov, S.A. Limborska* 388
Recognition of envelope and tat protein synthetic peptide analogs by HIV positive sera or plasma (FEB 05971) *D.A. McPhee, B.E. Kemp, S. Cumming, D. Stapleton, I.D. Gust, R.R. Doherty* 393
N^6-Methyladenine in mitochondrial DNA of higher plants (FEB 05995) *B.F. Vanyushin, N.I. Alexandrushkina, M.D. Kirnos* 397
Effect of amrinone on myocardial mitochondria function (FEB 05998) *V. Bobyleva-Guarriero, C. Mussini, U. Muscatello, C. Cappello, G. Mattioli* 400
Two distinct types of ε-binding site exist in chloroplast coupling factor (CF_1) (FEB 05974) *P.J. Andralojc, D.A. Harris* 403
Photosystem II disorganization and manganese release after photoinhibition of isolated spinach thylakoid membranes (FEB 05997) *I. Virgin, S. Styring, B. Andersson* 408
Release of the nocturnal inhibitor, carboxyarabinitol-1-phosphate, from ribulose bisphosphate carboxylase/oxygenase by rubisco activase (FEB 05981) *S.P. Robinson, A.R. Portis, jr* 413

Purification and characterisation of two forms of toxin B produced by *Clostridium difficile (FEB 05992)* *J.F. Torres, I. Lönnroth* 417
Is the acetylcholine releasing protein mediatophore present in rat brain? (FEB 05979) *M. Israël, B. Lesbats, N. Morel, R. Manaranche, G. Le Gal la Salle* 421
Vitamin E and selenium regulate balance between β-adrenergic and muscarinic responses in rat lungs (FEB 05993) *C.J.A. Doelman, K. Kramer, H. Timmerman, A. Bast* 427
Automated Sanger dideoxy sequencing reaction protocol (FEB 06022) *J. Zimmerman, H. Voss, C. Schwager, J. Stegemann, W. Ansorge* 432

Correspondence

Taurine and neuronal resistance to hypoxia (FEB 05975) *A. Lehmann, H. Hagberg, P. Andiné, K. Ellrén* 437
A reply to the commentary of Lehmann et al. (FEB 05976) *A. Schurr, B.M. Rigor* 439

Corrigenda and Errata 440
Author Index 442
Table of Contents 448
Notes to Authors 453